



stripLite SL-4000

LED Control Cabinet light





stripLite LED Control Cabinet Light

'Lights off, LED on'


stripLite SL-4000		
Type	24 - 265 V	12 V
Part no. (with motion sensor)	400000	400012
Part no. (with ON/OFF switch)	400100	400112
PERFORMANCE DATA		
Power Consumption	4 Watt	
Light output (Luminosity)	400 Lm	
Light color / temperature	Cool white / 6,500K	
Lamp type	LED, 120°angle	
Life time (@ 20°C)	40,000 hrs.	
Operating temp. range	-20°C - +60°C	
Switch off time (motion sensor)	5 min.	
DIMENSIONS		
Dimensions (L x W x H)	357.4 x 32 x 35.5 (31.16) mm	
Material housing	PC clear (Top), PC ABS blue (Base)	
Weight	140 gr.	
ELECTRICAL DATA		
Voltage / Frequency	24 - 265 V AC / DC 50/60 Hz	12 V DC
Protection class	II (double insulated)	
IP protection to IEC 60 529	IP 20	
Feed in / Feed out (Daisy Chain) connection	Wieland connector	
Mounting	Magnets, clips	
Certification	CE, cURus	

The new **stripLite** LED light fixture is the economical and space saving solution for cabinet and enclosure lighting. The state of the art LED technology ensures a long and maintenance free life cycle.


The main features are:

- Combined AC & DC voltage range allows the universal use with a single model
- Motion sensor or ON/OFF switch available
- Various fitting options for more flexibility
- Daisy chain cables allow to connect up to 16 lights with AC and up to 8 lights with DC voltage
- Wieland connector for fast and easy installation

Mounting Accessories



Screw mount clip



stripLite connectors & cables




Wieland female connector



Wieland male connector


Type	Description	Cable colour	Mounting	Approvals
WS 400702	Wieland female connector		Screw connection	CE, cURus
WS 400703	Wieland male connector		Screw connection	CE, cURus



WK 400711	Power cable with Wieland female connector, 3 m	white	Plug connection	CE, cURus
WK 400712	Power cable with Wieland female connector, 3 m	orange	Plug connection	CE, cURus
WK 400713	Power cable with Wieland female connector, 3 m	blue	Plug connection	CE, cURus



DC 400721	Daisy chain cable with Wieland male / female connector, 0.5 m	white	Plug connection	CE, cURus
DC 400722	Daisy chain cable with Wieland male / female connector, 0.5 m	orange	Plug connection	CE, cURus
DC 400723	Daisy chain cable with Wieland male / female connector, 0.5 m	blue	Plug connection	CE, cURus
DC 400731	Daisy chain cable with Wieland male / female connector, 1 m	white	Plug connection	CE, cURus
DC 400732	Daisy chain cable with Wieland male / female connector, 1 m	orange	Plug connection	CE, cURus
DC 400733	Daisy chain cable with Wieland male / female connector, 1 m	blue	Plug connection	CE, cURus




DC 400742	Connection cable with door switch and Wieland female connector, 3.5 m	orange	Plug connection	CE, cURus
-----------	---	--------	-----------------	-----------



stripLite 400000 with motion sensor



stripLite 400100 with ON/ OFF switch





wegweisend innovativ

Seifert Systems GmbH

Haßlinghauser Str. 156
58285 Gevelsberg

Germany

Tel. +49 (0) 2332 55124-0
Fax +49 (0) 2332 5512429

info.de@seifertsystems.com

Seifert Systems Ltd.

HF 09/10 Hal Far Industrial Estate
Birzebbuga, BBG 3000

Malta

Tel. +356 2220 7000
Fax +356 2165 2009

info@seifertsystems.com

Seifert Systems AG

Wilerstraße 16
CH- 4563 Gerlafingen

Switzerland

Tel. +41 (0) 32 675 35 51
Fax +41 (0) 32 675 44 76

info.ch@seifertsystems.com

Seifert Systems Inc.

75 Circuit Drive
North Kingstown
RI 02852
USA

Tel. +1 401-294-6960
Fax +1 401-294-6963

info.us@seifertsystems.com

Seifert Systems Australia Pty Ltd.

105 Lewis Road
Wantirna South
3152 Victoria
Australia

Tel. +61 (3) 98 01 19 06
Fax +61 (3) 98 87 08 45

info@seifertsystems.com.au

www.seifertsystems.com



www.facebook.com/seifert.mtmsystems